

Masonite is committed to delivering unsurpassed performance in interior and exterior doors and glass products. Our goal is to provide not just a door, but a total experience, giving you a complete line of products, services and support tools designed around your success.

We are the leading source for the latest trend insights and design ideas, delivering distinctive door styles that complement any home and personal taste. From the crisp, clean lines of our Heritage Series, to the traditional elegance of our Masonite Classics, Collection, we offer a breadth of interior doors to meet any design, performance and material you need, so you always have the right answer for your customers.

Every product we offer is the result of years of research, design, engineering and development that begins at the Masonite Innovation Center in Chicago, the largest facility of its kind in the industry. It is our dedication to a fully integrated design process that sets us apart from the competition and ensures every product we deliver lives up to our exacting standards for quality, consistency and craftsmanship.

YOUR TRUSTED PARTNER

Masonite is not just a trusted leader in interior doors; we are a powerful partner who helps you elevate the role a door plays in your projects—creating more inspiring customer experiences and stronger business results.

Interior Door Collections
Safe 'N Sound _®
Barn Doors
Masonite Expo _®
Masonite Select
Masonite Classics

6P Prefinished
Commercial
Flush Series
Eco-Friendly Doors
Design and Size Options

Interior Door Collections

AT A GLANCE



HERITAGE SERIES,



Lincoln Park Logan

Winslow-

WEST END COLLECTION.



Berkley.
Hamel.
Melrose.

SELECT_{TM}
MOLDED PANEL DOORS



Cheyenne Riverside Saddlebrook

 Celebrate traditional craftsmanship with clean lines that blend seamlessly with their surroundings. Embrace the beauty of minimalism with the sophisticated, streamlined look of embossed lines. Create a look that compliments the style of any home. Our dedication to superior craftsmanship allows us to deliver unsurpassed quality and value in interior doors. We offer a comprehensive selection of door styles—all crafted with exacting attention to detail.



Add a defining element to any space with familiar designs that offer timeless appeal. Safe 'N Sound

THE NEW STANDARD SOLLID CO DOORS

We are on a mission to put solid core doors in every home. Made of solid material all the way through, they feel more substantial and block sound more effectively. For minimal cost, solid core doors create a dramatic improvement in overall quality.

Solid core doors are **DURABLE**.

able to withstand the dents and dings of normal wear.

Solid core doors are

SOUND REDUCING,

efficiently than hollow doors.

Solid core doors are simply built better, a strength you can

FEEL

the moment you open the door.

It's time for a better door experience.

Make solid core doors the STANDARD.




For decades, we have been deeply invested in expanding our expertise in acoustics and have built doors for hospitals, schools, hotels and multifamily homes.

It is with this same confidence and expertise that we bring solid core to the residential space. Solid core doors are going to pay for themselves within the first year or two.



Bill Peck,

Even if people don't realize it, it's kind of a subconscious comfort... The solid core doors are worth it.





Improve the overall value of the home for pennies on a mortgage payment

100%

of all consumers prefer solid core vs. hollow core when given the choice*

Barn Doors



HARDWARE



Straight Strap Matte Black



Bent Strap Matte Black



Top Of Door Strap Stainless Steel

Finish Options








Matte Black

6



- Barn door options from Masonite deliver trend-forward design solutions that are both stylish and functional.
 Choose from three easy-to-install track options to create flexible interior spaces packed with character.
- ▶ Barn doors available in Safe 'N Sound® only. See page 4 for details.

ON TREND

INNOVATIVE

FUNCTIONAL





Heritage Series™ 10
West End Collection® 12

ARTISTIC

CONTEMPORARY

SLEEK


► Heritage Series_™ / Logan_™



HERITAGE SERIES...

AUTHENTIC ARCHITECTURAL DETAIL







- ▶ Classic shaker style meets modern engineering in this versatile collection.
- ▶ 10+" bottom rail satisfies ADA requirements.
- ▶ Available in Safe 'N Sound®, see page 4 for details.




*Not for use with 4-door bifold applications.

West End Collection, is not available for use with double doors applications.

WEST END COLLECTION.







- ▶ Embossed lines add a modern edge to any space.
- ▶ Available in Safe 'N Sound_®, see page 4 for details.







DIVERSE

STYLISH



Molded Panel Doors







- ▶ Feature lines define authentic architectural details.
- ▶ Available in Safe 'N Sound_®, see page 4 for details.



CLASSICS_{TM}

Molded Panel Series 20


TIMELESS

Masonite Classics™ / 2 Panel Arch Top



Molded Panel Series








- ▶ Molded panel engineering delivers timeless designs.
- ▶ Available in Safe 'N Sound®, see page 4 for details.

6P Prefinished


- ▶ Durable topcoat ensures a long-lasting finish.
- ▶ Available in textured finish with matching bifolds.




Commercial Doors

HEAVY DUTY. DURABLE. LOW MAINTENANCE.

- Taller bottom rails and wider stiles for compatibility with commercial hardware.
- Satisfies ADA requirements.





Flush Series

DURABLE. LOW MAINTENANCE.








➤ A simple, flush design provides a clean, contemporary look.

Eco-Friendly Engineered Doors

EMERALD, "GREEN" DOORS



Note: Not all designs are available in Emerald, offering; contact Masonite for the complete product offering.

The above referenced certifications are based on the following versions: LEED NC-3.0 / LEED H-2008 / LEED V4-2015.

For technical specification information, visit www.masonite.com or contact us at 1-800-663-DOOR (3667).



TECHNICAL & SUPPORT INFORMATION ON GREEN

- ► This product contributes to satisfying the credits of the U.S. Green Building Council's LEED* Green Building Rating System™. For current applicable LEED* standards, visit www.usgbc.org.
- ▶ Evaluations of Green Certifications are provided as a courtesy for Masonite customers. Further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- ▶ USGBC_{*} and LEED_{*} are registered trademarks of the U.S. Green Building Council.

Design & Size Options

										0 E										EOL	D.			
		HERITAGE SERIES.	12"	14"	15"	16"	18"	_	SSA 7/I"	26"	28"	30"	72"	₹/1	36"	18"	24"	28"	30"	FOL	_	48"	60"	72"
		LINCOLN PARK. (1 PANEL)	12	14	17	10	10	20	24	20	20	30	32	,,4	30	10	24	20	30	JL	30	40	00	12
		Smooth 80"	•				•								•		•							
		Commercial 10" Bottom Smooth 84"																						
		Rail Smooth 96"																						
		LOGAN _™ (2 PANELS)																						
		Smooth 80"	•	•	•	•	•	•		•	•	•	•	•	•		•		•		•	•	•	•
		10" Bottom Rail Smooth 84"	•				•	•				•			•		•						•	•
	=	Smooth 96"																						
		WINSLOW. (3 PANELS)																						
		Commercial Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•			•				•	•	•	•
MASONITE EXPO.		Rail Smooth 84"				•						•										•	•	•
2																								
NO		WEST END SON TOTAL					10"		SSA		20	70"			70			20:		FOL		46		
AS		WEST END COLLECTION.	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
Σ		BERKLEY.**																						
		Smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			
		Smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•		•		•		•			
		HAMEL**																						
		Smooth 80"							•	•	•	•	•	•	•		•		•		•			
		Smooth 84"							•	•	•	•	•	•	•		•		•		•			
		MELROSE.**																						
		Smooth 80"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•	•	•		•		•			
		Smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•	•	•		•		•			
			120	1411	1511	16"	10"		SSA		20"	7011	7311	7.411	76"	1011	2411	2011		FOL		40"	CO"	73!!
		CHEYENNE.	12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
		Smooth 80"															•				•	•		
Į.		Smooth 96"																						
MASONITE SELECT		RIVERSIDE.																						
		Smooth 80"			•																			
1		Smooth 84"																						
ONI		6-Panels Smooth 96"																				•		
1ASC		SADDLEBROOK.																						
		Smooth 80"						•																
		Smooth 96"	•		•		•	•				•	•		•	•	•	•						

^{*}Thinner outer style will not affect functionality.

Due to manufacturing processes, a 3/16" tolerance is acceptable on horizontal lines.

Note: 48", 60" and 72" bifolds are achieved by doubled 24", 30" and 36" bifolds.

Molded Panel Series Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available as textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability.

^{**}Not for use with double doors.

			PASSAGE											BIFOLDS													
		MOLDED P	PANEL SERIES	12"	14"	15"	16"	18"		24"			30"	32"	34"	36"	42"	16"	18"	24"	28"				48"	60"	72"
			EL ARCH-TOP																						-1		
			Smooth 80"	•		•			•		•	•	•	•	•	•			•	•			•		•		
			Textured 80"																								
			Smooth 84"				•		•	•		•	•														
			Smooth 96"																								
		2 PANEL RON	MAN SMOOTH				-		-		-	-	-	-	-	-			-	-	-		-	-			
		E I ZANEE NO	Smooth 80"																								
	Ш																										
			Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•			٠	٠	٠	•	•	•	•	•	•
			Smooth 96"					•	•	•	•	•	•	•	•	•						•	•	•		•	•
			2 PANEL																								
			Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
			Smooth 84"			•					•			•					•	•	•			•	•	•	
	Ш		Smooth 96"																								
			3 PANEL																								
			Textured 80"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
שָּׁיִי			4 PANEL																								
Sic			Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•		•
AS			Smooth 84"	•			•						•			•											
MASONITE CLASSICS			Smooth 96"																								
Ë																											
ő			6 PANEL																								
¥			Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•
_			Textured 80"	٠	٠	٠	•	٠	٠	٠	٠	٠	•	٠	٠	٠		•	٠	٠	٠	٠	٠	٠	•	٠	•
			Smooth 84"	•	•	•	•	٠	٠	٠	٠	٠	•	•	٠	•			٠	•	٠	٠	•	•	•	٠	•
			Textured 84"	٠	٠	•	٠	٠	٠	٠	٠	٠	•	٠	٠	٠			٠	٠	٠	٠	٠	٠	•	٠	•
			Smooth 96"	•	•	•	•	٠	•	•	٠	٠	•	٠	٠	•			٠	•	٠	٠	•	•	•	٠	٠
			Textured 96"	٠	٠	•	•	•*	•	٠	٠	٠	•	٠	٠	٠			٠	٠	٠	٠	٠	٠	•	٠	٠
			0" (all colors)	•	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•	•
		6 PANEL	COMMERCIAL																								
			Smooth 80"										•	•	•	•	•										
		Commercial10" BottomRail	Smooth 84"																								
		2 PANEL RO	MAN SMOOTH																								
			Smooth 80"										•	•	•	•											
		_ Commercial 10" Bottom Rail	Smooth 84"																								
		2 PANEL	COMMERCIAL																								
		_ Commercial	Smooth 80"										•	•	•	•											
		10" Bottom Rail	Smooth 84"										•			•											
_										DA	2 C A	C 17										III.	10-				
			12"	14"	15"	16"	10"	PAS			20"	70"	72"	74"	76"	10"	34"	30"		SIFC	$\overline{}$	_	40"	CO"	73"		
	FLUSH SERI 80", 84" & 96" Heigh					14"	15"	16"	18"	20"	44"	20"	28"	30"	32"	34"	36"	18"	24"	28"	30'	34	2" 3	6"	48"	60"	72"
		4" & 96" Height HARDBOAR																									
		Prime																									
		Oak.	VENEE Birch, Hardwoo	_						•	•			•	•	•	•										
L		- uni,	,	-																							



1-800-663-DOOR 9am to 5pm / Monday through Friday, EST masonite.com

